

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

| | | | |
|------------------------------------|--|--------------------------|---|
| Company Name | Phihong Technology CO., LTD. | Other Name | |
| Address | No. 568, Fuxing 3rd Rd, Guishan District, Taoyuan City Taiwan 33383 Taiwan | | |
| Client ID | 107414 | Global-Mark File Number: | 107414-017 |
| Certificate Number & Approval Mark | GMA-515478-EA | Revision Number | 00 |
| Certification Standard(s) | AS/NZS 62368.1:2018 Audio/video, information and communication technology equipment - Safety requirements | | |
| Type of Certification | Electrical Safety Product | Scheme | Global-Mark Electrical Product Safety Certification Scheme |
| | | | System 1 Approval |

CERTIFICATE DATES

| | |
|------------------------------|------------------|
| Certificate Issue Date | 5/05/2023 |
| Certificate Last Update Date | |
| Certification Expiry Date | 5/05/2028 |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Conformity

| CERTIFIED ELECTRICAL EQUIPMENT | | | | |
|--------------------------------|------------------------|------------|----------------|--|
| Declared Article | Product Description | Trade Name | Model Number | Rating |
| Power Supply or Charger | Switching Power Supply | PHIHONG | POEA30U-1AT | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | PHIHONG | POEA30U-1ATE | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | PHIHONG | POEA30U-1AT-S | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | PHIHONG | POEA30U-1AT-2 | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | PHIHONG | POEA30U-1AT-2S | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | PHIHONG | POEA30U-1AT-5 | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | PHIHONG | POEA30U-1AT-5S | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | PHIHONG | POEA30U-1AT-X | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | PHIHONG | POEA30U-560 | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | PHIHONG | POEA30U-560E | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | PHIHONG | POEA30U-560-2 | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | PHIHONG | POEA30U-560-5 | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | PHIHONG | POEA30U-560-X | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | PHIHONG | POEA30W-1AT-5 | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager




Certificate of Conformity

| | | | | |
|-------------------------|------------------------|-----------|----------------|--|
| Power Supply or Charger | Switching Power Supply | SONICWALL | POEA30U-1AT | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | SONICWALL | POEA30U-1ATE | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | SONICWALL | POEA30U-1AT-S | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | SONICWALL | POEA30U-1AT-2 | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | SONICWALL | POEA30U-1AT-2S | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | SONICWALL | POEA30U-1AT-5 | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | SONICWALL | POEA30U-1AT-5S | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | SONICWALL | POEA30U-1AT-X | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | SONICWALL | POEA30U-560 | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | SONICWALL | POEA30U-560E | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | SONICWALL | POEA30U-560-2 | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | SONICWALL | POEA30U-560-5 | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | SONICWALL | POEA30U-560-X | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | SONICWALL | POEA30W-1AT-5 | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | VERKADA | POEA30U-1AT | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Conformity

| | | | | |
|-------------------------|------------------------|---------|----------------|--|
| Power Supply or Charger | Switching Power Supply | VERKADA | POEA30U-1ATE | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | VERKADA | POEA30U-1AT-S | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | VERKADA | POEA30U-1AT-2 | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | VERKADA | POEA30U-1AT-2S | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | VERKADA | POEA30U-1AT-5 | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | VERKADA | POEA30U-1AT-5S | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | VERKADA | POEA30U-1AT-X | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | VERKADA | POEA30U-560 | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | VERKADA | POEA30U-560E | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | VERKADA | POEA30U-560-2 | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | VERKADA | POEA30U-560-5 | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | VERKADA | POEA30U-560-X | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |
| Power Supply or Charger | Switching Power Supply | VERKADA | POEA30W-1AT-5 | Input Rating: 100-240 Vac, 50-60 Hz, 0.8 A Output Rating: 56 Vdc, 0.536 A |

RELEVANT TRADEMARK (S)

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager





global-mark®

Certificate of Conformity

COMMENTS OR CONDITIONS ON THE CERTIFICATION

- for use with Cradlepoint, SONICWALL, Verkada, Videor E.Harting GmbH - Germany, IDS Imaging Development Systems GmbH - Germany & Herweck AG - Germany IT/AV equipment

End of document



This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®

JAS-ANZ



WWW.JAS-ANZ.ORG/REGISTER